
INSTRUCTION MANUAL FOR SHUFFLEBOARD




ASSEMBLY INSTRUCTION				
#1	#2	#3	#4	#5
			गुरापु	
Cabinet Half 2 pcs	Leg 01(with door) 1 pc	Leg 02(no door) 2 pcs	Playfield Half 2 pcs	Leg Leveler 6 pcs
#6	#7	#8	#9	#10
			e-mananamanama e	
3/8"*2-3/4" Bolt 12 pcs	3/8"*23mm Washer 12 pcs	Red and blue puck each 4 pcs	Wooden scorer 2 set	Screw F4*1-1/2" 4 pcs
#11	#12	#13	#14	#15
		0		
Wood cap 4 pcs	Wrench 1 pc	Handle 1 set	Shuffleboard speed wax 1 pcs	Screw 5/16"*1-1/4" 32 pcs
#16	#17	#18	#19	#20
Q _I				
Screw F3*12mm 4 pcs	Metal cover 2 set	Copper tenon 4 pcs	Nut 12 set	Wrench 19mm 2 pcs
#21	#22	#23	#24	#25
			00000	
Allen wrench 4mm 1 pcs	1/4"*3/4" Bolt 12 pcs	5/16"*10mm Bolt 6 pcs	Metal plate 3 pcs	Metal plate 6 pcs
#26	#27	#28	#29	#30
360mm Rod 2 pcs	15*28mm Washer 4 pcs	Nut 4 pcs	1/4"*16mm Washer 16 pcs	Climate Adjuster 4 pcs

ASSEMBLY INSTRUCTION

Step 1:


- * Attach leg o1(with door) and 2PCS leg 02 (no door) (#3) to cradle halves with bolt(#6),washer(#7)and nut (#19) as shown in the diagram. Please pay attention the position of each leg and the door of leg 01 should be face the end of cradle half.
- * Attach leg leveler(#5) to legs.



Step 2:

* Turn the cradle half with 2 legs assembled right side up, turn the other cradle half right side up and connect 2 cradle halves together with copper tennon(#18), then attach them together with bolt(#6), whsher(#7) and nut(#19).


Attention: Do not allow the weight of the table to rest on the side of the legs when turn it right side up.



ASSEMBLY INSTRUCTION


Step 3. Assembly Of Playfield

- 1>. Take rod(#26) and washer(#27) and nut(#28) to connect 2 playfield halves(#4) together.
- 2>. Attach metal plate(#24) and metal plate(#25) to plafield with bolt(#22) and washer(#29).
- Note: each metal plate(#24) should be with 2PCS metal plates(#25) underneath, the 2 holes on each metal plate(#25) should be in line with the 2 outer bolt holes on each end of the metal plate(#24).
- 3>. Attach bolt(#23) on metal plate (#24), adjust the 6 bolts(#23) to have them screwed tigher and looser to level 2 playfield halves.



ASSEMBLY INSTRUCTION

Step 4. Place the playfield into table cradle .



Step 5. Assembly of slide scorer, leg door handle and metal cover

- * Attach door handle(#13) to leg 01 (#2) with the bolt packed with door handle.
- * Attach wooden scorer(#9) to the cabinet with screw (#10).
- * Take wood cap(#11) to cover screw holes of scorer post.
- * Attach metal cover (#17) with screw (#16).

